



Looking back on our 2003 Fantasy Baseball Projections

Projecting the direction of fantasy production year over year on a player by player basis is the core to a successful fantasy season. This core forms the foundation of our service. A service that combines our historically successful mathematical projections model with qualitative insight from our staff of editors which includes first person scouting.

Below is a breakdown of Fantistics 2003 Preseason Baseball Projections. In 2003 we achieved results that are very reminiscent to our 5 year track record of prognosticating. We projected the correct direction as measured by [FPI](#), the most accurate indicator of Fantasy Value (see article comparing FPI to well known Stat indicators), **the correct direction, (either up or down) on close to 7 out of 10 MLB batters & close to 8 out of 10 MLB starting pitchers**. We believe that projecting the correct direction to a player's production is as valid as any indicator to fantasy success. This is not saying that every subscriber had the same fantasy success, as one's fate may have been sealed by selecting several players who did not live up to expectations, sustained production disrupting injuries, or encountered drops in playing time (something that FPI does not measure).

We look forward to your continued success in 2004.

Grid Explanation: The grids below highlight the relevant FPI (Prior season, 2003 Projection, and 2003 year end actual), and the differences. Column (A-B) compares the prior year's FPI (A) with the Preseason Projection (B). Column (C-A) compares the Actual 2003 final year stat (C) with the prior year (A). If the players fantasy production increased or decreased and matched our projected direction, then we consider that a "Correct" direction with our projection, conversely if the Actual difference is different than the Projected difference, then we were "Wrong" with our projection.

www.InsiderBaseball.com

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 **Hitters** in 2003

Year 2003 - Projecting Top 150 Hitters - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A) - (B)	(C) Actual	(C) - (A)	Projection
NL	1B	Helton,T.	0.87	0.93	0.06	0.95	0.08	CORRECT
NL	OF	Pujols, A.	0.78	0.83	0.06	0.97	0.19	CORRECT
NL	OF	Sheffield,G.	0.78	0.85	0.08	0.91	0.13	CORRECT
NL	OF	Bonds,B.	1.22	1.05	(0.16)	1.11	(0.10)	CORRECT
AL	SS	Rodriguez,A.	0.84	0.87	0.03	0.85	0.01	CORRECT
AL	OF	Ramirez,M.	0.94	0.95	0.01	0.86	(0.08)	WRONG
AL	1B	Delgado,C.	0.76	0.80	0.05	0.83	0.07	CORRECT
NL	SS	Renteria,E.	0.69	0.62	(0.07)	0.82	0.13	WRONG

Fantistics Correctly Predicted the Fantasy Direction on 8 out of 10 **Pitchers** in 2003

Year 2003 - Projecting Top 100 Pitchers - Directional (based on FPI)

L	Pos	Name	(A) Prior	(B) Proj	(A) - (B)	(C) Actual	(C) - (A)	Projection
AL	P	Hudson,T.	1.59	1.86	0.27	2.12	0.53	CORRECT
NL	P	Schmidt,J.	1.95	1.96	0.02	2.42	0.47	CORRECT
AL	P	Halladay,R.	1.94	1.85	(0.09)	1.88	(0.06)	CORRECT
AL	P	Loaiza,E.	0.70	0.86	0.16	2.02	1.32	CORRECT
AL	P	Zito, B.	2.10	2.09	(0.01)	1.89	(0.20)	CORRECT
AL	P	Martinez,P.	2.54	2.75	0.21	2.33	(0.21)	WRONG
NL	P	Prior, M.	1.72	1.79	0.07	2.06	0.34	CORRECT
NL	P	Brown,K.	1.00	1.85	0.85	1.97	0.97	CORRECT

AL OF Wells,V.	0.57	0.63	0.06	0.74	0.17	CORRECT	AL P Mussina,M.	1.60	1.73	0.13	1.91	0.31	CORRECT
AL 2B Soriano,A.	0.77	0.75	(0.02)	0.74	(0.03)	CORRECT	NL P Wood,K.	1.77	1.95	0.18	1.93	0.15	CORRECT
NL OF Abreu,B.	0.84	0.93	0.09	0.77	(0.08)	WRONG	NL P Vazquez,J.	1.25	1.64	0.39	1.76	0.51	CORRECT
AL 2B Boone,B.	0.63	0.69	0.06	0.75	0.13	CORRECT	NL P Ortiz,R.	1.68	1.78	0.10	1.89	0.21	CORRECT
NL OF Gonzalez,L.	0.74	0.78	0.04	0.77	0.03	CORRECT	AL P Moyer,J.	1.84	1.67	(0.17)	1.81	(0.03)	CORRECT
AL OF Beltran,C.	0.73	0.78	0.05	0.87	0.14	CORRECT	NL P Nomo,H.	1.68	1.59	(0.09)	1.76	0.08	WRONG
NL OF Pierre, J.	0.60	0.65	0.05	0.71	0.11	CORRECT	AL P Colon,B.	1.75	1.62	(0.13)	1.57	(0.18)	CORRECT
NL 1B Thome,J.	0.93	0.80	(0.13)	0.75	(0.18)	CORRECT	NL P Zambrano,C.	1.42	1.61	0.19	1.77	0.35	CORRECT
AL 3B Huff, A.	0.72	0.70	(0.02)	0.72	(0.01)	CORRECT	NL P Hernandez,L.	1.16	1.25	0.09	1.56	0.41	CORRECT
AL OF Ordonez,M.	0.81	0.84	0.03	0.77	(0.04)	WRONG	NL P Webb,B.	N/A	N/A	N/A	2.01	N/A	
NL 1B Sexson,R.	0.66	0.67	0.01	0.72	0.06	CORRECT	NL P Williams,W.	2.08	1.64	(0.44)	1.61	(0.47)	CORRECT
AL SS Garciaparra,N.	0.71	0.78	0.07	0.72	0.01	CORRECT	NL P Millwood,K.	1.97	1.84	(0.13)	1.60	(0.38)	CORRECT
NL 1B Bagwell,J.	0.75	0.79	0.04	0.72	(0.03)	WRONG	AL P Pineiro, J.	1.55	1.64	0.10	1.68	0.13	CORRECT
AL OF Suzuki,I.	0.72	0.72	(0.01)	0.69	(0.03)	CORRECT	NL P Ponson,S.	1.22	1.44	0.21	1.62	0.40	CORRECT
NL OF Jones,C.	0.84	0.87	0.03	0.76	(0.09)	WRONG	AL P Clemens,R.	1.58	1.53	(0.04)	1.65	0.07	WRONG
NL SS Furcal, R.	0.56	0.57	0.01	0.67	0.11	CORRECT	NL P Clement,M.	1.86	1.95	0.09	1.72	(0.14)	WRONG
NL OF Berkman,L.	0.81	0.82	0.01	0.75	(0.06)	WRONG	NL P Redman,M.	1.33	1.60	0.27	1.75	0.43	CORRECT
AL OF Anderson,G.	0.70	0.71	0.01	0.72	0.02	CORRECT	AL P Santana,J.	2.02	1.70	(0.31)	2.09	0.07	WRONG
NL 3B Rolen,S.	0.66	0.75	0.09	0.75	0.09	CORRECT	NL P Maddux,G.	1.78	1.71	(0.07)	1.51	(0.27)	CORRECT
AL 1B Giambi,Ja.	0.86	0.91	0.05	0.72	(0.13)	WRONG	NL P Padilla,V.	1.65	1.51	(0.14)	1.57	(0.08)	CORRECT
NL OF Podsednik,S.	0.46	0.40	(0.06)	0.78	0.32	WRONG	AL P Mulder,M.	1.91	2.11	0.20	1.73	(0.18)	WRONG
AL DH Thomas,F.	0.63	0.70	0.07	0.74	0.10	CORRECT	NL P Wolf,R.	1.86	1.99	0.13	1.60	(0.27)	WRONG
NL 2B Giles, M.	0.48	0.61	0.13	0.78	0.30	CORRECT	NL P Wells,K.	1.31	1.10	(0.21)	1.60	0.29	WRONG
NL SS Cabrera,O.	0.56	0.63	0.06	0.69	0.13	CORRECT	AL P May,D.	0.62	0.63	0.01	1.49	0.87	CORRECT
NL OF Giles,B.	0.92	0.90	(0.02)	0.78	(0.15)	CORRECT	NL P Schilling,C.	2.12	1.95	(0.17)	1.85	(0.28)	CORRECT
NL 1B Lee,D.	0.72	0.72	0.00	0.74	0.02	CORRECT	AL P Wakefield,T.	2.29	1.92	(0.36)	1.51	(0.78)	CORRECT
NL OF Wilson,P.	0.58	0.70	0.12	0.71	0.13	CORRECT	AL P Sabathia, C.	1.51	1.74	0.23	1.54	0.03	CORRECT
NL OF Hidalgo,R.	0.52	0.55	0.04	0.79	0.27	CORRECT	AL P Kim,B.	4.36	1.83	(2.52)	2.46	(1.89)	CORRECT
AL 2B Young, M.	0.49	0.53	0.04	0.64	0.15	CORRECT	NL P Miller,W.	1.78	1.90	0.12	1.59	(0.19)	WRONG
AL 3B Mueller,B.	0.55	0.64	0.09	0.77	0.22	CORRECT	AL P Pettitte,A.	1.63	1.61	(0.03)	1.42	(0.21)	CORRECT
AL OF Lee,C.	0.64	0.69	0.05	0.68	0.04	CORRECT	NL P Penny,B.	0.86	1.48	0.62	1.47	0.61	CORRECT
AL 3B Chavez,E.	0.68	0.72	0.04	0.69	0.01	CORRECT	NL P Hampton,M.	0.26	1.35	1.09	1.52	1.25	CORRECT
AL OF Young,D.	0.60	0.64	0.05	0.72	0.12	CORRECT	AL P Franklin,R.	1.63	1.26	(0.37)	1.36	(0.28)	CORRECT
NL OF Payton,J.	0.67	0.68	0.01	0.69	0.02	CORRECT	NL P Pavano,C.	0.48	0.98	0.50	1.43	0.95	CORRECT
AL SS Tejada,M.	0.69	0.65	(0.03)	0.63	(0.06)	CORRECT	NL P Batista,M.	1.59	1.73	0.14	1.48	(0.11)	WRONG
NL C Lopez,J.	0.42	0.46	0.04	0.89	0.47	CORRECT	NL P Trachsel,S.	1.38	1.55	0.18	1.40	0.02	CORRECT
NL 2B Castillo,L.	0.68	0.66	(0.02)	0.65	(0.03)	CORRECT	AL P Wells,D.	1.61	1.34	(0.27)	1.34	(0.27)	CORRECT
AL OF Damon,J.	0.69	0.73	0.04	0.64	(0.05)	WRONG	AL P Buehrle,M.	1.55	1.69	0.14	1.23	(0.32)	WRONG
NL OF Green,S.	0.77	0.82	0.05	0.63	(0.13)	WRONG	AL P Lowe,D.	2.41	2.10	(0.31)	1.39	(1.02)	CORRECT
AL 1B Palmeiro,R.	0.76	0.74	(0.03)	0.66	(0.10)	CORRECT	NL P Lawrence,B.	1.29	1.43	0.14	1.33	0.04	CORRECT
AL DH Martinez,E.	0.71	0.79	0.08	0.72	0.01	CORRECT	NL P Willis,D.	N/A	N/A	N/A	1.74	N/A	
NL 2B Loretta,M.	0.62	0.61	(0.01)	0.66	0.04	WRONG	NL P Sheets,B.	1.08	1.40	0.32	1.26	0.17	CORRECT
NL OF Jones,A.	0.69	0.68	(0.01)	0.65	(0.03)	CORRECT	NL P Morris,M.	1.59	1.74	0.16	1.60	0.01	CORRECT
AL 3B Blalock,H.	0.40	0.67	0.27	0.69	0.29	CORRECT	AL P Zambrano,V.	1.00	0.87	(0.13)	1.45	0.45	WRONG
AL C Posada,J.	0.64	0.62	(0.02)	0.73	0.08	WRONG	NL P Peavy,J.	1.08	1.35	0.27	1.36	0.28	CORRECT
NL OF Lofton,K.	0.64	0.60	(0.04)	0.70	0.06	WRONG	AL P Suppan,J.	0.86	1.22	0.36	1.28	0.42	CORRECT
AL OF Ibanez,R.	0.70	0.73	0.02	0.63	(0.07)	WRONG	AL P Thomson,J.	0.95	1.17	0.22	1.19	0.24	CORRECT

NL C Kendall,J.	0.55	0.62	0.07	0.65	0.11	CORRECT	AL P Lohse,K.	1.26	1.41	0.15	1.28	0.02	CORRECT
AL OF Matsui, H.	N/A	0.64	N/A	0.60	N/A	CORRECT	NL P Ramirez,H.	N/A	1.27	N/A	1.41	N/A	CORRECT
NL OF Edmonds,J.	0.82	0.77	(0.04)	0.79	(0.03)	CORRECT	NL P Seo,J.	N/A	1.39	N/A	1.36	N/A	CORRECT
AL OF Winn,R.	0.71	0.65	(0.06)	0.64	(0.06)	CORRECT	NL P Eaton,A.	1.44	1.63	0.19	1.39	(0.05)	WRONG
AL OF Stewart,S.	0.67	0.74	0.07	0.65	(0.02)	WRONG	AL P Shields,S.	2.63	2.53	(0.10)	1.71	(0.92)	CORRECT
AL OF Nixon,T.	0.60	0.64	0.03	0.81	0.20	CORRECT	NL P Leiter,A.	1.45	1.40	(0.05)	1.40	(0.06)	CORRECT
NL 2B Vidro,J.	0.70	0.68	(0.02)	0.69	(0.01)	CORRECT	AL P Escobar,K.	3.40	3.27	(0.13)	1.40	(2.01)	CORRECT
NL OF Sosa,S.	0.81	0.85	0.04	0.70	(0.10)	WRONG	AL P Washburn,J.	1.89	2.00	0.10	1.20	(0.69)	WRONG
AL OF Crawford,C.	0.47	0.49	0.02	0.62	0.15	CORRECT	AL P Garcia,F.	1.36	1.16	(0.20)	1.22	(0.14)	CORRECT
NL OF Walker,L.	0.88	0.86	(0.02)	0.73	(0.14)	CORRECT	AL P Anderson,B.	0.97	0.87	(0.10)	1.24	0.26	WRONG
NL OF Finley,S.	0.73	0.66	(0.07)	0.70	(0.02)	CORRECT	AL P Radke,B.	1.51	1.71	0.20	1.12	(0.38)	WRONG
AL OF Baldelli,R.	N/A	0.63	N/A	0.60	N/A	CORRECT	AL P Gonzalez,J.	N/A	N/A	N/A	1.52	N/A	
NL OF Guerrero,V.	0.94	0.99	0.05	0.88	(0.06)	WRONG	NL P Myers,B.	1.06	1.39	0.33	1.22	0.16	CORRECT
NL OF Wilkerson,B.	0.65	0.66	0.02	0.68	0.03	CORRECT	AL P Garland, J.	1.27	1.41	0.14	1.21	(0.06)	WRONG
AL 2B Boone,A.	0.60	0.65	0.05	0.63	0.03	CORRECT	AL P Lilly,T.	1.69	1.39	(0.30)	1.29	(0.40)	CORRECT
AL OF Everett,C.	0.56	0.64	0.08	0.69	0.13	CORRECT	NL P Beckett,J.	1.54	1.67	0.13	1.62	0.08	CORRECT
NL OF Alou,M.	0.59	0.68	0.09	0.63	0.04	CORRECT	NL P Williams,J.	N/A	N/A	N/A	1.73	N/A	
NL OF Jenkins,G.	0.52	0.66	0.14	0.72	0.20	CORRECT	NL P Perez,Od.	2.07	1.73	(0.34)	1.22	(0.84)	CORRECT
NL OF Mondesi,R.	0.54	0.55	0.02	0.68	0.14	CORRECT	AL P Meche,G.	N/A	0.97	N/A	1.20	N/A	
AL OF Salmon,T.	0.71	0.68	(0.03)	0.65	(0.06)	CORRECT	NL P Oswalt,R.	1.84	1.75	(0.08)	1.76	(0.08)	CORRECT
AL DH Durazo,E.	0.74	0.80	0.06	0.61	(0.12)	WRONG	NL P Chacon, S.	0.66	0.60	(0.06)	1.62	0.96	WRONG
AL OF Gibbons, J.	0.56	0.61	0.05	0.58	0.02	CORRECT	NL P Tavarez,J.	0.75	0.72	(0.03)	2.64	1.89	WRONG
AL DH Conine,J.	0.58	0.62	0.04	0.62	0.04	CORRECT	NL P Redding,T.	0.84	1.47	0.63	1.25	0.40	CORRECT
NL C Rodriguez,I.	0.73	0.77	0.04	0.68	(0.05)	WRONG	AL P Hentgen,P.	-0.84	0.92	1.76	1.35	2.19	CORRECT
AL DH Ortiz,D.	0.63	0.74	0.10	0.76	0.13	CORRECT	AL P Burkett,J.	0.99	0.96	(0.03)	1.19	0.20	WRONG
AL 1B Mientkiewicz,D.	0.56	0.52	(0.05)	0.69	0.12	WRONG	AL P Rogers,K.	1.42	1.19	(0.23)	1.07	(0.35)	CORRECT
AL 3B Koskie,C.	0.63	0.68	0.05	0.70	0.08	CORRECT	NL P Alvarez,W.	0.87	0.65	(0.22)	2.17	1.30	WRONG
NL OF Grissom,M.	0.65	0.59	(0.06)	0.63	(0.02)	CORRECT	NL P Stephenson,G.	0.81	1.64	0.83	1.16	0.35	CORRECT
AL 1B Lee,T.	0.53	0.60	0.07	0.63	0.10	CORRECT	NL P Villarreal,O.	N/A	1.04	N/A	2.04	N/A	WRONG
AL SS Berroa,A.	0.48	0.55	0.07	0.64	0.16	CORRECT	AL P Affeldt, J.	0.99	1.35	0.36	1.57	0.58	CORRECT
AL 1B Millar,K.	0.69	0.73	0.04	0.63	(0.06)	WRONG	NL P Ishii, K.	1.28	1.13	(0.15)	1.33	0.06	WRONG
NL OF Cruz,J.	0.56	0.66	0.10	0.59	0.03	CORRECT	NL P Oliver,D.	0.60	N/A	N/A	1.06	0.46	
NL OF Encarnacion,J.	0.62	0.57	(0.05)	0.59	(0.02)	CORRECT	NL P Ohka,T.	1.54	1.45	(0.09)	0.95	(0.58)	CORRECT
NL 3B Lowell,M.	0.63	0.54	(0.09)	0.69	0.06	WRONG	NL P Brower,J.	1.77	1.55	(0.22)	1.90	0.13	WRONG
NL OF Biggio,C.	0.54	0.53	(0.02)	0.54	(0.00)	CORRECT	NL P Kinney, M.	0.24	0.69	0.45	0.98	0.74	CORRECT
NL 3B Ramirez,Ar.	0.42	0.69	0.27	0.58	0.15	CORRECT	AL P Lidle, C.	1.51	1.68	0.16	0.97	(0.55)	WRONG
AL 2B Kent,J.	0.77	0.71	(0.06)	0.69	(0.08)	CORRECT	AL P Lackey,J.	1.45	1.22	(0.23)	0.90	(0.55)	CORRECT
AL 2B Jimenez,D.	0.49	0.54	0.05	0.59	0.10	CORRECT	AL P Davis,J.	2.19	1.35	(0.84)	1.11	(1.08)	CORRECT
NL OF Sanders,R.	0.60	0.56	(0.04)	0.75	0.16	WRONG	NL P Day,Z.	2.44	2.00	(0.44)	1.38	(1.06)	CORRECT
AL OF Guillen,J.	0.42	0.37	(0.05)	0.73	0.31	WRONG	NL P Reitsma,C.	1.12	1.29	0.17	2.04	0.92	CORRECT
AL SS Jeter,D.	0.70	0.76	0.06	0.70	0.00	CORRECT	AL P Soriano, R.	1.17	1.22	0.05	3.20	2.03	CORRECT
NL SS Rollins,J.	0.53	0.58	0.05	0.54	0.01	CORRECT	NL P Glavine,T.	1.63	1.30	(0.33)	0.92	(0.71)	CORRECT
NL 1B Casey,S.	0.49	0.62	0.13	0.59	0.09	CORRECT	AL P Johnson,Ja.	0.86	1.03	0.16	0.88	0.02	CORRECT
AL OF Bradley, M.	0.53	0.57	0.05	0.83	0.30	CORRECT	AL P Contreras, J.	N/A	1.58	N/A	2.32	N/A	
AL OF Cameron,M.	0.64	0.70	0.05	0.60	(0.04)	WRONG	NL P Franklin,W.	2.13	1.41	(0.71)	0.84	(1.28)	CORRECT
AL 2B Walker,T.	0.62	0.60	(0.02)	0.57	(0.05)	CORRECT	NL P Rueter,K.	1.50	1.18	(0.31)	1.11	(0.39)	CORRECT

AL OF Sanchez, A.	0.66	0.60	(0.06)	0.62	(0.04)	CORRECT
AL 1B Olerud,J.	0.73	0.70	(0.03)	0.57	(0.16)	CORRECT
AL OF Jones,J.	0.67	0.72	0.05	0.65	(0.02)	WRONG
NL C Lieberthal,M.	0.57	0.63	0.05	0.64	0.07	CORRECT
NL 2B Polanco,P.	0.54	0.49	(0.05)	0.65	0.11	WRONG
NL OF Byrd,M.	0.31	0.46	0.16	0.64	0.34	CORRECT
AL OF Hunter,T.	0.72	0.66	(0.06)	0.54	(0.18)	CORRECT
AL OF Catalanotto,F.	0.64	0.75	0.11	0.64	(0.01)	WRONG
AL C Varitek,J.	0.52	0.57	0.05	0.66	0.14	CORRECT
AL 3B Randa,J.	0.57	0.53	(0.05)	0.61	0.04	WRONG
AL 1B Spiezio,S.	0.63	0.58	(0.05)	0.58	(0.05)	CORRECT
AL 3B Teixeira,M.	N/A	0.78	N/A	0.58	N/A	WRONG
AL C Pierzynski,A.	0.57	0.53	(0.03)	0.64	0.07	WRONG
NL SS Cintron, A.	0.40	0.47	0.08	0.68	0.28	CORRECT
NL 3B Burroughs,S.	0.45	0.59	0.14	0.58	0.13	CORRECT
NL 3B Wigginton,T.	0.71	0.64	(0.07)	0.52	(0.19)	CORRECT
AL OF Gerut, J.	N/A	N/A	N/A	0.62	N/A	
AL OF White,R.	0.42	0.58	0.17	0.62	0.20	CORRECT
NL 3B Ensberg, M.	0.54	0.63	0.09	0.74	0.20	CORRECT
NL 3B Castilla,V.	0.37	0.36	(0.01)	0.56	0.19	WRONG
AL 1B Sweeney,M.	0.85	0.86	0.01	0.70	(0.15)	WRONG
NL 2B Grudzielanek,M.	0.46	0.50	0.04	0.62	0.16	CORRECT
NL 2B Young,E.	0.60	0.63	0.03	0.61	0.01	CORRECT
AL SS Valentin,J.	0.57	0.55	(0.02)	0.56	(0.00)	CORRECT
AL OF Matos, L.	0.03	N/A	N/A	0.67	0.64	
AL OF Williams,B.	0.78	0.73	(0.05)	0.60	(0.17)	CORRECT
AL SS Lugo, J.	0.54	0.55	0.01	0.57	0.03	CORRECT
NL 3B Hillenbrand,S.	0.59	0.55	(0.04)	0.57	(0.02)	CORRECT
AL 1B Hatteberg,S.	0.62	0.59	(0.02)	0.51	(0.11)	CORRECT
NL 1B Martinez,T.	0.58	0.62	0.05	0.58	0.00	CORRECT
NL 3B Alfonzo,E.	0.70	0.72	0.02	0.53	(0.17)	WRONG
NL C LoDuca,P.	0.53	0.59	0.06	0.50	(0.03)	WRONG
AL OF Mora,M.	0.53	0.52	(0.02)	0.77	0.24	WRONG
NL OF Floyd,C.	0.77	0.81	0.04	0.72	(0.04)	WRONG
AL 3B Hinske,E.	0.69	0.64	(0.06)	0.59	(0.10)	CORRECT
AL 2B Kennedy,A.	0.67	0.66	(0.01)	0.61	(0.07)	CORRECT
AL 2B Alomar,R.	0.55	0.64	0.09	0.52	(0.03)	WRONG
AL 3B Blake,C.	0.27	0.56	0.29	0.50	0.23	CORRECT
AL 2B Anderson,M.	0.49	0.44	(0.05)	0.57	0.08	WRONG
AL SS Roberts, B.	0.49	0.52	0.02	0.58	0.09	CORRECT
NL 1B Cordero,W.	0.59	0.62	0.03	0.61	0.02	CORRECT
NL 2B Belliard,R.	0.29	0.58	0.29	0.59	0.30	CORRECT
AL C Hernandez,R.	0.42	0.50	0.09	0.57	0.15	CORRECT
NL OF Kotsay,M.	0.65	0.63	(0.02)	0.54	(0.10)	CORRECT
AL 3B Crede,J.	0.61	0.64	0.03	0.52	(0.09)	WRONG
NL 2B Durham,R.	0.71	0.66	(0.05)	0.63	(0.08)	CORRECT

NL P Reynolds,S.	0.80	0.86	0.06	0.97	0.17	CORRECT
NL P Robertson,J.	-1.12	1.24	2.36	0.98	2.10	CORRECT
NL P Villone,R.	1.32	1.52	0.20	1.47	0.15	CORRECT
AL P Westbrook, J.	0.66	0.85	0.19	1.17	0.51	CORRECT
AL P Ortiz,Ra.	1.55	1.52	(0.04)	0.83	(0.72)	CORRECT
NL P Helling,R.	1.10	0.79	(0.32)	0.95	(0.15)	CORRECT
NL P Jimenez,J.	3.76	2.96	(0.81)	1.36	(2.40)	CORRECT
AL P Hernandez,R.	1.22	1.33	0.11	1.50	0.27	CORRECT
NL P Torres,S.	1.63	1.53	(0.10)	1.19	(0.44)	CORRECT

Total Accuracy 76%

NL SS Aurilia,R.	0.49	0.58	0.09	0.54	0.04	CORRECT
AL DH Johnson, N.	0.51	0.57	0.05	0.73	0.22	CORRECT
AL SS Relaford,D.	0.56	0.61	0.05	0.57	0.01	CORRECT
NL 3B Helms,W.	0.45	0.49	0.04	0.55	0.10	CORRECT
AL SS Guzman,C.	0.48	0.52	0.04	0.51	0.03	CORRECT
NL SS Gonzalez,AI.	0.40	0.48	0.090.50891	0.11		CORRECT
AL OF Kielty, B.	0.73	0.71	(0.02)0.57229	(0.16)		CORRECT
AL 2B Ellis,M.	0.57	0.55	(0.02)0.47338	(0.10)		CORRECT

Total Accuracy 74%

www.InsiderBaseball.com