



Looking back on our 2005 Fantasy Baseball Projections

Projecting the direction of fantasy production year over year on a player by player basis is the core to a successful fantasy season. This core forms the foundation of our service. A service that combines our historically successful mathematical projections model with qualitative insight from our staff of editors (which includes first person scouting.)

Below is a breakdown of Fantistics 2005 Preseason Baseball Projections. In 2005 we achieved results that are very reminiscent to our 7 year track record of prognosticating. We projected the correct direction as measured by [FPI](#), the most accurate indicator of of Fantasy Value (see article comparing [FPI](#) to well known Stat indicators), (**either up or down**) **on close to 7 out of 10 MLB batters & close to 7 out of 10 MLB starting pitchers**. We believe that projecting the correct direction to a player's production is as valid as any indicator to fantasy success. This is not saying that every subscriber had the same fantasy success, as one's fate may have been sealed by selecting several players who did not live up to expectations, sustained production disrupting injuries, or encountered drops in playing time (something that FPI does not measure).

We look forward to your continued success in 2006.

Grid Explanation: The grids below highlight the relevant FPI (Prior season, 2005 Projection, and 2005 year end actual), and the differences. Column (AB) compares the prior year's FPI (A) with the Preseason Projection (B). Column (C-A) compares the Actual 2005 final year stat (C) with the prior year 2004 (A). If the players fantasy production increased or decreased and matched our projected direction, then we consider that a "Correct" direction with our projection, conversely if the Actual difference is different than the Projected difference, then we were "Wrong" with our projection.

www.InsiderBaseball.com

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2005

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2005

Year 2005 - Projecting Top 150 Hitters - Directional (based on FPI)						Year 2005 - Projecting Top 100 Pitchers - Directional (based on FPI)											
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection	L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual	(C)-(A)	Projection
AL	3B	Rodriguez,A.	0.77	0.80	0.03	0.90	0.13	CORRECT	NL	P	Carpenter,C.	1.74	1.61	(0.13)	2.15	0.41	WRONG
NL	1B	Lee,D.	0.68	0.69	0.01	0.96	0.27	CORRECT	NL	P	Willis,D.	1.21	1.45	0.24	2.03	0.82	CORRECT
NL	1B	Pujols, A.	0.91	0.94	0.03	0.92	0.00	CORRECT	AL	P	Santana,J.	2.42	2.13	(0.29)	2.19	(0.23)	CORRECT
AL	1B	Teixeira,M.	0.73	0.78	0.05	0.77	0.04	CORRECT	NL	P	Pettitte,A.	1.77	1.58	(0.20)	2.08	0.31	WRONG
AL	DH	Ortiz,D.	0.80	0.78	(0.02)	0.82	0.02	WRONG	NL	P	Martinez,P.	1.73	1.85	0.11	2.29	0.55	CORRECT
NL	OF	Bay,J.	0.70	0.71	0.01	0.84	0.14	CORRECT	NL	P	Oswalt,R.	1.69	1.86	0.17	1.66	(0.03)	WRONG
NL	3B	Wright,D.	0.68	0.69	0.01	0.77	0.09	CORRECT	NL	P	Clemens,R.	2.15	1.95	(0.19)	2.34	0.19	WRONG
AL	OF	Ramirez,M.	0.83	0.79	(0.03)	0.79	(0.04)	CORRECT	NL	P	Peavy,J.	1.91	1.98	0.06	2.08	0.17	CORRECT
NL	2B	Utley,C.	0.58	0.60	0.02	0.77	0.19	CORRECT	AL	P	Johnson,Ra.	2.32	1.97	(0.36)	1.69	(0.63)	CORRECT
AL	OF	Guerrero,V.	0.87	0.84	(0.03)	0.83	(0.04)	CORRECT	NL	P	Zambrano,C.	1.95	1.82	(0.13)	2.04	0.08	WRONG
AL	OF	Sizemore,G.	0.53	0.65	0.12	0.68	0.16	CORRECT	AL	P	Colon,B.	1.12	1.38	0.26	1.72	0.60	CORRECT
AL	2B	Soriano,A.	0.64	0.68	0.04	0.68	0.04	CORRECT	NL	P	Smoltz,J.	4.08	1.50	(2.58)	1.84	(2.24)	CORRECT
NL	OF	Abreu,B.	0.91	0.85	(0.06)	0.78	(0.13)	CORRECT	NL	P	Beckett,J.	1.66	1.72	0.05	1.92	0.25	CORRECT
NL	OF	Jones,A.	0.63	0.68	0.05	0.70	0.07	CORRECT	AL	P	Buehrle,M.	1.34	1.36	0.01	1.64	0.30	CORRECT

AL OF	Sheffield,G.	0.74	0.75	0.01	0.73	(0.01) WRONG	AL P	Halladay,R.	1.28	1.70	0.42	2.23	0.95	CORRECT
AL SS	Young, M.	0.69	0.67	(0.02)	0.75	0.06 WRONG	AL P	Harden,R.	1.63	1.82	0.19	2.30	0.67	CORRECT
AL OF	Matsui, H.	0.74	0.74	(0.01)	0.69	(0.05) CORRECT	AL P	Shields,S.	2.05	1.68	(0.37)	2.10	0.05	WRONG
NL OF	Lee,C.	0.73	0.72	(0.01)	0.63	(0.10) CORRECT	NL P	Webb,B.	1.22	1.66	0.44	1.49	0.27	CORRECT
NL OF	Cabrera,M.	0.70	0.73	0.03	0.79	0.08 CORRECT	AL P	Zito, B.	1.19	1.60	0.41	1.76	0.57	CORRECT
NL SS	Lopez, F.	0.49	0.53	0.04	0.69	0.20 CORRECT	AL P	Garland, J.	1.12	0.98	(0.14)	1.64	0.52	WRONG
NL 2B	Kent,J.	0.70	0.63	(0.07)	0.71	0.01 WRONG	NL P	Myers,B.	0.84	1.11	0.27	1.58	0.74	CORRECT
AL 3B	Chavez,E.	0.73	0.78	0.05	0.61	(0.12) WRONG	AL P	Contreras, J.	1.09	1.18	0.09	1.75	0.66	CORRECT
NL OF	Floyd,C.	0.63	0.68	0.05	0.68	0.05 CORRECT	AL P	Lee,C.	1.02	1.12	0.10	1.71	0.69	CORRECT
NL OF	Dunn,A.	0.76	0.74	(0.02)	0.71	(0.05) CORRECT	NL P	Patterson,J.	0.85	1.21	0.36	1.75	0.90	CORRECT
AL SS	Tejada,M.	0.72	0.68	(0.04)	0.69	(0.04) CORRECT	NL P	Lieber,J.	1.10	1.33	0.23	1.36	0.26	CORRECT
AL 1B	Konerko,P.	0.69	0.66	(0.03)	0.71	0.02 WRONG	AL P	Haren,D.	1.47	1.65	0.18	1.48	0.01	CORRECT
AL 1B	Sexson,R.	0.67	0.73	0.06	0.70	0.02 CORRECT	AL P	Lackey,J.	1.17	0.95	(0.22)	1.62	0.45	WRONG
NL 3B	Ensberg, M.	0.56	0.61	0.04	0.75	0.19 CORRECT	NL P	Burnett,A.	1.86	1.88	0.03	1.76	(0.10)	WRONG
AL DH	Hafner,T.	0.81	0.84	0.03	0.82	0.00 CORRECT	AL P	Millwood,K.	1.16	1.38	0.22	1.52	0.36	CORRECT
AL SS	Jeter,D.	0.68	0.70	0.02	0.70	0.02 CORRECT	NL P	Prior, M.	1.43	1.84	0.41	1.62	0.19	CORRECT
AL OF	Crawford,C.	0.75	0.76	0.01	0.74	(0.01) WRONG	NL P	Sheets,B.	1.90	1.83	(0.07)	1.73	(0.17)	CORRECT
NL 2B	Biggio,C.	0.61	0.53	(0.07)	0.59	(0.02) CORRECT	AL P	Garcia,F.	1.62	1.68	0.06	1.51	(0.12)	WRONG
AL OF	Dye,J.	0.59	0.59	0.00	0.66	0.07 CORRECT	AL P	Wakefield,T.	1.12	1.29	0.17	1.46	0.34	CORRECT
AL OF	Wells,V.	0.63	0.68	0.05	0.59	(0.04) WRONG	NL P	Capuano,C.	0.83	1.16	0.34	1.32	0.50	CORRECT
AL 3B	Mora,M.	0.85	0.68	(0.17)	0.63	(0.22) CORRECT	AL P	Sabathia, C.	1.47	1.65	0.17	1.62	0.15	CORRECT
NL OF	Green,S.	0.61	0.66	0.05	0.66	0.05 CORRECT	NL P	Weaver,J.	1.45	1.62	0.17	1.42	(0.02)	WRONG
NL OF	Burrell,P.	0.63	0.66	0.03	0.71	0.08 CORRECT	NL P	Davis,D.	1.60	1.46	(0.14)	1.53	(0.07)	CORRECT
NL 1B	Delgado,C.	0.69	0.73	0.04	0.78	0.09 CORRECT	NL P	Lowe,D.	0.83	1.22	0.39	1.32	0.49	CORRECT
AL OF	Suzuki,I.	0.83	0.78	(0.06)	0.69	(0.15) CORRECT	NL P	Lowry,N.	1.59	1.35	(0.24)	1.46	(0.13)	CORRECT
NL OF	Burnitz,J.	0.72	0.57	(0.15)	0.55	(0.17) CORRECT	NL P	Loaiza,E.	0.68	1.27	0.59	1.41	0.73	CORRECT
NL OF	Gonzalez,L.	0.67	0.74	0.07	0.63	(0.03) WRONG	NL P	Harang,A.	0.96	1.23	0.27	1.36	0.40	CORRECT
AL 2B	Roberts, B.	0.59	0.62	0.03	0.81	0.21 CORRECT	NL P	Mulder,M.	1.45	1.76	0.31	1.42	(0.02)	WRONG
NL OF	Jenkins,G.	0.58	0.66	0.08	0.68	0.10 CORRECT	AL P	Chen,B.	1.74	1.42	(0.32)	1.36	(0.39)	CORRECT
NL OF	Griffey Jr.,K	0.65	0.75	0.10	0.76	0.11 CORRECT	NL P	Suppan,J.	1.31	1.15	(0.17)	1.25	(0.07)	CORRECT
NL OF	Edmonds,J.	0.89	0.80	(0.09)	0.72	(0.17) CORRECT	NL P	Heilman, A.	0.98	1.20	0.22	2.03	1.05	CORRECT
AL DH	Ibanez,R.	0.64	0.67	0.03	0.62	(0.02) WRONG	NL P	Hernandez,L.	1.53	1.47	(0.05)	1.20	(0.33)	CORRECT
AL OF	Huff, A.	0.68	0.72	0.04	0.55	(0.13) WRONG	NL P	Maddux,G.	1.36	1.36	0.00	1.27	(0.09)	WRONG
NL 3B	Glaus,T.	0.70	0.69	(0.01)	0.68	(0.02) CORRECT	NL P	Vazquez,J.	1.30	1.55	0.25	1.16	(0.14)	WRONG
NL SS	Rollins,J.	0.68	0.65	(0.03)	0.68	(0.00) CORRECT	AL P	Towers,J.	0.68	0.96	0.27	1.18	0.50	CORRECT
AL OF	Damon,J.	0.73	0.66	(0.07)	0.69	(0.03) CORRECT	NL P	Morris,M.	1.24	1.22	(0.02)	1.32	0.08	WRONG
AL 2B	Cantu,J.	0.61	0.55	(0.06)	0.60	(0.01) CORRECT	NL P	Hudson,T.	1.66	1.90	0.23	1.40	(0.26)	WRONG
NL OF	Giles,B.	0.69	0.73	0.04	0.78	0.09 CORRECT	NL P	Sosa,J.	0.92	1.23	0.31	1.70	0.78	CORRECT
NL OF	Wilson,P.	0.49	0.63	0.14	0.58	0.09 CORRECT	NL P	Dempster,R.	2.47	1.66	(0.81)	1.65	(0.82)	CORRECT
AL 3B	Blalock,H.	0.66	0.63	(0.03)	0.54	(0.12) CORRECT	NL P	Glavine,T.	1.44	1.31	(0.14)	1.36	(0.09)	CORRECT
AL 2B	Figgins,C.	0.68	0.67	(0.01)	0.72	0.04 WRONG	AL P	Byrd,P.	1.20	1.15	(0.05)	1.41	0.21	WRONG
AL OF	Jones,J.	0.53	0.63	0.10	0.57	0.03 CORRECT	AL P	Westbrook, J.	1.62	1.57	(0.05)	1.38	(0.24)	CORRECT
NL OF	Holliday,M.	0.64	0.70	0.06	0.73	0.09 CORRECT	AL P	Radke,B.	1.50	1.44	(0.07)	1.18	(0.32)	CORRECT

NL OF	Berkman,L.	0.87	0.84	(0.03)	0.77	(0.10)	CORRECT	AL P	Rogers,K.	1.05	0.83	(0.22)	1.47	0.42	WRONG
NL SS	Reyes,J.	0.57	0.64	0.07	0.62	0.05	CORRECT	AL P	Silva, C.	0.94	0.74	(0.19)	1.26	0.32	WRONG
NL OF	Winn,R.	0.63	0.61	(0.02)	0.72	0.09	WRONG	AL P	Kazmir,S.	0.94	1.30	0.36	1.47	0.53	CORRECT
NL SS	Furcal, R.	0.65	0.68	0.03	0.71	0.06	CORRECT	AL P	Wells,D.	1.51	1.39	(0.12)	1.18	(0.33)	CORRECT
NL 2B	Giles, M.	0.72	0.72	0.00	0.68	(0.04)	WRONG	AL P	Young,C.	1.25	0.92	(0.32)	1.51	0.26	WRONG
NL OF	Guillen,J.	0.65	0.70	0.05	0.60	(0.05)	WRONG	AL P	Bonderman,J.	1.40	1.67	0.27	1.25	(0.15)	WRONG
NL 1B	Helton,T.	0.95	0.95	(0.00)	0.83	(0.13)	CORRECT	NL P	Benson,K.	1.45	1.67	0.22	1.39	(0.06)	WRONG
NL 1B	Tracy,C.	0.57	0.60	0.03	0.73	0.17	CORRECT	NL P	Marquis, J.	1.21	1.43	0.21	1.24	0.03	CORRECT
NL 3B	Ramirez,Ar.	0.78	0.78	0.01	0.73	(0.05)	WRONG	AL P	Clement,M.	1.49	1.74	0.25	1.47	(0.01)	WRONG
AL OF	Dellucci,D.	0.60	0.65	0.05	0.67	0.08	CORRECT	AL P	Mussina,M.	1.21	1.58	0.37	1.17	(0.04)	WRONG
AL DH	Giambi,Ja.	0.47	0.71	0.23	0.77	0.29	CORRECT	AL P	Washburn,J.	1.23	1.44	0.21	1.28	0.05	CORRECT
NL OF	Pierre, J.	0.71	0.70	(0.01)	0.61	(0.10)	CORRECT	NL P	Schmidt,J.	2.23	2.33	0.09	1.49	(0.74)	WRONG
AL OF	Crisp,C.	0.66	0.66	0.00	0.66	0.00	CORRECT	AL P	Lopez,R.	1.52	1.49	(0.03)	1.07	(0.45)	CORRECT
AL DH	Hillenbrand,S.	0.63	0.57	(0.05)	0.59	(0.04)	CORRECT	AL P	Maroth,M.	1.04	1.26	0.21	1.01	(0.03)	WRONG
NL OF	Beltran,C.	0.82	0.80	(0.02)	0.58	(0.24)	CORRECT	AL P	Arroyo, B.	1.58	1.61	0.04	1.38	(0.20)	WRONG
AL OF	Monroe,C.	0.63	0.62	(0.01)	0.59	(0.05)	CORRECT	AL P	Moyer,J.	0.76	1.45	0.69	1.17	0.41	CORRECT
AL OF	Mench,K.	0.66	0.67	0.01	0.59	(0.07)	WRONG	NL P	Lidle, C.	1.18	1.05	(0.13)	1.18	0.00	WRONG
NL OF	Lane, J.	0.63	0.69	0.07	0.61	(0.02)	WRONG	NL P	Ohka,T.	0.84	1.09	0.25	1.24	0.40	CORRECT
AL OF	Everett,C.	0.49	0.55	0.06	0.53	0.04	CORRECT	NL P	Penny,B.	1.64	1.68	0.04	1.30	(0.34)	WRONG
AL SS	Lugo, J.	0.59	0.61	0.01	0.69	0.09	CORRECT	AL P	Chacon, S.	2.53	1.14	(1.39)	1.52	(1.01)	CORRECT
AL OF	Rowand, A.	0.77	0.69	(0.08)	0.55	(0.22)	CORRECT	AL P	Elarton,S.	0.75	1.13	0.38	1.14	0.39	CORRECT
AL 1B	Gibbons, J.	0.46	0.55	0.09	0.61	0.15	CORRECT	AL P	Cabrera,D.	1.27	1.64	0.37	1.41	0.15	CORRECT
NL SS	Eckstein, D.	0.50	0.55	0.04	0.59	0.08	CORRECT	AL P	Saarloos,K.	0.90	1.04	0.14	1.31	0.41	CORRECT
AL SS	Renteria,E.	0.58	0.63	0.06	0.54	(0.03)	WRONG	NL P	Seo,J.	0.70	0.94	0.24	1.90	1.20	CORRECT
NL OF	Clark, B.	0.65	0.66	0.01	0.62	(0.03)	WRONG	AL P	Johnson,Ja.	0.93	1.26	0.33	1.09	0.16	CORRECT
AL C	Varitek,J.	0.72	0.67	(0.05)	0.67	(0.05)	CORRECT	AL P	Bedard,E.	0.90	1.12	0.22	1.39	0.49	CORRECT
NL 1B	Clark,T.	0.50	0.49	(0.02)	0.82	0.31	WRONG	AL P	Cotts,N.	1.29	1.46	0.17	2.59	1.30	CORRECT
AL 3B	Beltre,A.	0.87	0.66	(0.21)	0.50	(0.38)	CORRECT	NL P	Lawrence,B.	1.08	1.33	0.25	1.11	0.04	CORRECT
AL C	Martinez, V.	0.65	0.64	(0.01)	0.68	0.03	WRONG	NL P	Eaton,A.	1.21	1.49	0.27	1.25	0.04	CORRECT
NL SS	Hall,B.	0.45	0.51	0.05	0.70	0.25	CORRECT	AL P	Lohse,K.	0.53	1.17	0.65	0.86	0.34	CORRECT
AL 1B	Morneau,J.	0.66	0.63	(0.03)	0.50	(0.16)	CORRECT	AL P	Fossum,C.	0.16	0.81	0.65	1.06	0.90	CORRECT
AL 1B	Sweeney,M.	0.66	0.71	0.05	0.69	0.03	CORRECT	NL P	Williams,W.	1.38	1.55	0.17	0.95	(0.43)	WRONG
AL 1B	Erstad,D.	0.62	0.53	(0.09)	0.52	(0.10)	CORRECT	NL P	Park,C.	0.63	0.86	0.23	0.95	0.32	CORRECT
AL OF	Kotsay,M.	0.68	0.66	(0.02)	0.55	(0.12)	CORRECT	NL P	Backe,B.	1.06	1.31	0.25	1.18	0.12	CORRECT
AL OF	Anderson,G.	0.61	0.56	(0.06)	0.54	(0.07)	CORRECT	NL P	Williams,D.	1.77	1.45	(0.32)	1.16	(0.62)	CORRECT
AL OF	Blake,C.	0.63	0.65	0.02	0.51	(0.12)	WRONG	AL P	Schilling,C.	1.97	1.71	(0.26)	0.66	(1.30)	CORRECT
AL OF	Podsednik,S.	0.63	0.73	0.10	0.69	0.06	CORRECT	AL P	Benoit,J.	0.86	0.74	(0.12)	1.77	0.91	WRONG
AL 1B	Hinske,E.	0.49	0.55	0.06	0.57	0.08	CORRECT	AL P	Escobar,K.	1.51	1.63	0.12	2.11	0.60	CORRECT
AL 3B	Inge,B	0.61	0.58	(0.03)	0.55	(0.06)	CORRECT	NL P	Rusch,G.	1.74	1.37	(0.37)	0.86	(0.89)	CORRECT
NL 2B	Counsell,C.	0.49	0.47	(0.02)	0.59	0.10	WRONG	NL P	Vargas,C.	0.81	1.02	0.20	0.82	0.01	CORRECT
NL 1B	Overbay,L.	0.70	0.72	0.02	0.63	(0.07)	WRONG	AL P	Lilly,T.	1.52	1.71	0.20	0.80	(0.72)	WRONG
NL OF	Feliz,P.	0.60	0.59	(0.00)	0.49	(0.11)	CORRECT	NL P	Hampton,M.	1.06	1.02	(0.04)	1.44	0.38	CORRECT
AL 2B	Belliard,R.	0.59	0.53	(0.06)	0.58	(0.01)	CORRECT	NL P	Dessens, E.	0.88	1.02	0.14	1.49	0.62	CORRECT

							Total Accuracy	68%
NL OF	Encarnacion,J.	0.47	0.51	0.04	0.61	0.14	CORRECT	
AL 3B	Crede,J.	0.47	0.51	0.05	0.52	0.05	CORRECT	
NL OF	Alou,M.	0.74	0.63	(0.11)	0.78	0.04	WRONG	
NL OF	Howard,R.	0.67	0.63	(0.04)	0.72	0.05	WRONG	
AL 3B	Polanco,P.	0.61	0.60	(0.01)	0.67	0.07	WRONG	
NL 2B	Durham,R.	0.68	0.65	(0.03)	0.62	(0.07)	CORRECT	
AL OF	Matthews, G.	0.64	0.69	0.05	0.57	(0.07)	WRONG	
NL 1B	Johnson, N.	0.58	0.63	0.05	0.70	0.11	CORRECT	
AL OF	Hunter,T.	0.65	0.69	0.04	0.67	0.02	CORRECT	
NL 3B	Jones,C.	0.64	0.77	0.13	0.81	0.17	CORRECT	
NL OF	Wilkerson,B.	0.69	0.71	0.01	0.55	(0.14)	WRONG	
NL 3B	Randa,J.	0.56	0.58	0.02	0.58	0.02	CORRECT	
NL SS	Everett,A.	0.54	0.57	0.03	0.47	(0.07)	WRONG	
AL SS	Cabrera,O.	0.52	0.63	0.11	0.52	0.00	CORRECT	
NL 2B	Grudzianek,M.	0.60	0.54	(0.06)	0.56	(0.04)	CORRECT	
NL 3B	Atkins,G.	0.84	0.67	(0.18)	0.57	(0.27)	CORRECT	
AL OF	Lawton,M.	0.65	0.59	(0.06)	0.58	(0.06)	CORRECT	
AL C	Mauer,J.	0.78	0.76	(0.02)	0.66	(0.12)	CORRECT	
AL SS	Adams,R.	0.72	0.55	(0.18)	0.54	(0.18)	CORRECT	
AL OF	Rios,A.	0.59	0.62	0.03	0.52	(0.07)	WRONG	
AL C	Posada,J.	0.68	0.67	(0.01)	0.59	(0.10)	CORRECT	
AL 1B	Broussard,B.	0.66	0.70	0.04	0.54	(0.11)	WRONG	
AL OF	Swisher,N.	0.54	0.60	0.06	0.53	(0.01)	WRONG	
NL 1B	LaRoche,A.	0.62	0.68	0.06	0.55	(0.07)	WRONG	
NL OF	Sanders,R.	0.65	0.63	(0.02)	0.75	0.10	WRONG	
AL SS	Berroa,A.	0.49	0.60	0.11	0.46	(0.03)	WRONG	
AL SS	Perez,N.	0.42	0.46	0.04	0.48	0.07	CORRECT	
NL SS	Vizquel,O.	0.62	0.60	(0.02)	0.55	(0.06)	CORRECT	
AL OF	Ford,L.	0.70	0.71	0.00	0.53	(0.18)	WRONG	
AL C	Rodriguez,I.	0.76	0.69	(0.07)	0.54	(0.22)	CORRECT	
AL SS	Uribe, J.	0.64	0.57	(0.07)	0.49	(0.15)	CORRECT	
AL DH	Young,D.	0.60	0.58	(0.02)	0.57	(0.03)	CORRECT	
NL OF	Roberts,D.	0.71	0.69	(0.02)	0.67	(0.04)	CORRECT	
AL C	Kendall,J.	0.64	0.66	0.02	0.47	(0.17)	WRONG	
AL DH	Stewart,S.	0.68	0.67	(0.01)	0.51	(0.17)	CORRECT	
NL 1B	Casey,S.	0.75	0.69	(0.06)	0.63	(0.12)	CORRECT	
NL 3B	Castilla,V.	0.65	0.57	(0.09)	0.51	(0.14)	CORRECT	
NL OF	Patterson,C.	0.63	0.66	0.02	0.39	(0.24)	WRONG	
NL OF	Klesko,R.	0.69	0.69	0.00	0.58	(0.11)	WRONG	
NL SS	Greene,K.	0.60	0.61	0.01	0.51	(0.09)	WRONG	
NL SS	Aurilia,R.	0.45	0.52	0.07	0.60	0.15	CORRECT	
AL OF	Nixon,T.	0.72	0.73	0.01	0.62	(0.10)	WRONG	
NL OF	Taguchi, S.	0.61	0.59	(0.02)	0.58	(0.03)	CORRECT	

NL OF	Freel, R.	0.66	0.64	(0.02)	0.69	0.03	WRONG
NL OF	Lofton,K.	0.59	0.57	(0.02)	0.77	0.18	WRONG
NL 3B	Mackowiak,R.	0.55	0.58	0.03	0.54	(0.01)	WRONG
AL OF	Dejesus,D.	0.57	0.62	0.05	0.62	0.05	CORRECT
AL 2B	Hudson,O.	0.59	0.55	(0.05)	0.54	(0.06)	CORRECT
AL 2B	Kennedy,A.	0.59	0.64	0.05	0.61	0.02	CORRECT
AL C	Barajas, R.	0.48	0.53	0.05	0.53	0.05	CORRECT

Total Accuracy 70%