



Documented Accuracy in Player Projections

One of the ways we **measure success** is comparing what **direction a player's performance took** during the forecasting season.

We could tell you that we exactly predicted Josh Hamilton's 30/100 season in 2010, but in essence projecting any exact statistic is pure luck. On the other hand, predicting that Hamilton's production would increase in 2010 versus his prior season....was not.

The analysis below measures fantasy points per game for the designated period. The focus of this analysis **is to measure our ability in forecasting whether a player would have a better or worse fantasy season than the previous year**. We base this analysis on an indicator called FPI. Fantasy Production Indicator measures a players fantasy contribution based on each At Bat or IP.

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Hitters in 2010

Year 2010 - Projecting Top 200 Hitters - Directional (based on FPI)								
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual		
					(C)-(A)	Projection		
NL	OF	Gonzalez,C.	0.77	0.70	(0.07)	0.89	0.12	WRONG
NL	1B	Pujols,A.	0.97	0.94	(0.03)	0.87	(0.10)	CORRECT
NL	1B	Votto,J.	0.83	0.82	(0.01)	0.90	0.06	WRONG
NL	OF	Braun,R.	0.81	0.81	0.01	0.72	(0.09)	WRONG
AL	OF	Hamilton,J.	0.57	0.70	0.13	0.93	0.36	CORRECT
AL	1B	Cabrera,M.	0.79	0.78	(0.01)	0.88	0.10	WRONG
AL	3B	Longoria,E.	0.71	0.76	0.04	0.73	0.02	CORRECT
AL	OF	Bautista,J.	0.56	0.59	0.04	0.79	0.23	CORRECT
NL	OF	Pence,H.	0.65	0.67	0.02	0.63	(0.02)	WRONG
NL	OF	Holliday,M.	0.77	0.76	(0.01)	0.76	(0.00)	CORRECT
NL	2B	Weeks,R.	0.64	0.60	(0.05)	0.63	(0.01)	CORRECT
NL	3B	Wright,D.	0.75	0.78	0.03	0.71	(0.04)	WRONG
NL	OF	Werth,J.	0.73	0.72	(0.01)	0.77	0.04	WRONG
AL	2B	Cano,R.	0.70	0.67	(0.03)	0.74	0.04	WRONG
NL	OF	Hart,C.	0.57	0.65	0.08	0.67	0.10	CORRECT
NL	OF	Young,C.	0.50	0.60	0.10	0.66	0.16	CORRECT
NL	SS	Tulowitzki,T.	0.79	0.75	(0.04)	0.81	0.02	WRONG
AL	OF	Crawford,C.	0.79	0.80	0.01	0.80	0.01	CORRECT
NL	2B	Uggla,D.	0.60	0.62	0.02	0.70	0.10	CORRECT
NL	1B	Huff,A.	0.45	0.54	0.09	0.72	0.27	CORRECT
AL	OF	Choo,S.	0.76	0.72	(0.04)	0.76	0.00	WRONG
AL	DH	Guerrero,V.	0.60	0.58	(0.02)	0.65	0.05	WRONG
NL	OF	Kemp,M.	0.75	0.78	0.03	0.57	(0.18)	WRONG
NL	1B	Gonzalez,A.	0.77	0.82	0.05	0.73	(0.04)	WRONG
AL	1B	Konerko,P.	0.63	0.61	(0.02)	0.80	0.17	WRONG
NL	2B	Johnson,K.	0.49	0.68	0.20	0.70	0.22	CORRECT
AL	OF	Rios,A.	0.53	0.64	0.11	0.68	0.15	CORRECT
AL	1B	Teixeira,M.	0.76	0.79	0.04	0.63	(0.13)	WRONG
AL	3B	Beltre,A.	0.50	0.59	0.09	0.76	0.25	CORRECT
NL	SS	Ramirez,H.	0.87	0.84	(0.03)	0.76	(0.11)	CORRECT
AL	OF	Wells,V.	0.54	0.60	0.06	0.65	0.11	CORRECT
AL	OF	Hunter,T.	0.76	0.66	(0.10)	0.63	(0.13)	CORRECT
NL	1B	Howard,R.	0.75	0.76	0.02	0.65	(0.09)	WRONG
NL	OF	Stubbs,D.	0.64	0.59	(0.05)	0.65	0.01	WRONG
AL	OF	Swisher,N.	0.65	0.67	0.01	0.67	0.02	CORRECT
NL	3B	Zimmerman,R.	0.70	0.73	0.03	0.74	0.03	CORRECT
NL	1B	Fielder,P.	0.83	0.81	(0.02)	0.66	(0.17)	CORRECT
NL	1B	Dunn,A.	0.73	0.70	(0.03)	0.67	(0.06)	CORRECT
AL	3B	Rodriguez,A.	0.79	0.81	0.02	0.66	(0.13)	WRONG
AL	DH	Ortiz,D.	0.56	0.63	0.06	0.70	0.14	CORRECT
NL	OF	Rasmus,C.	0.50	0.54	0.05	0.69	0.20	CORRECT
AL	3B	Young,M.	0.75	0.63	(0.12)	0.59	(0.16)	CORRECT
AL	OF	Abreu,B.	0.74	0.70	(0.03)	0.64	(0.10)	CORRECT
NL	3B	Reynolds,M.	0.73	0.72	(0.01)	0.51	(0.22)	CORRECT
NL	3B	McGehee,C.	0.67	0.62	(0.06)	0.61	(0.07)	CORRECT
NL	1B	LaRoche,A.	0.65	0.69	0.04	0.57	(0.08)	WRONG
AL	OF	Cruz,N.	0.71	0.72	0.02	0.85	0.14	CORRECT
AL	OF	Granderson,C.	0.60	0.68	0.08	0.61	0.01	CORRECT
AL	SS	Jeter,D.	0.80	0.74	(0.06)	0.54	(0.26)	CORRECT
AL	OF	Young,D.	0.52	0.66	0.14	0.65	0.13	CORRECT
NL	OF	McCutchen,A.	0.73	0.72	(0.01)	0.71	(0.02)	CORRECT
NL	OF	Lee,C.	0.66	0.68	0.02	0.48	(0.18)	WRONG
AL	OF	Quentin,C.	0.53	0.67	0.14	0.57	0.04	CORRECT
AL	OF	Pierre,J.	0.69	0.62	(0.07)	0.61	(0.08)	CORRECT
NL	2B	Phillips,B.	0.63	0.67	0.03	0.58	(0.05)	WRONG
AL	OF	Cuddyer,M.	0.67	0.67	0.00	0.57	(0.10)	WRONG

Fantistics Correctly Predicted the Fantasy Direction on 7 out of 10 Pitchers in 2010

Year 2010 - Projecting Top 120 Pitchers - Directional (based on FPI)								
L	Pos	Name	(A) Prior	(B) Proj	(A)-(B)	(C) Actual		
					(C)-(A)	Projection		
NL	P	Halladay,R.	1.73	1.92	0.19	1.91	0.18	CORRECT
NL	P	Wainwright,A.	1.82	1.80	(0.02)	2.16	0.34	WRONG
AL	P	Sabathia,C.	1.98	1.93	(0.05)	1.91	(0.06)	CORRECT
NL	P	Jimenez,U.	1.87	2.06	0.19	2.26	0.39	CORRECT
AL	P	Price,D.	1.43	1.63	0.20	2.06	0.62	CORRECT
AL	P	Lester,J.	1.71	1.86	0.15	2.04	0.33	CORRECT
AL	P	Hernandez,F.	2.10	1.95	(0.15)	2.07	(0.02)	CORRECT
AL	P	Weaver,J.	1.61	1.60	(0.01)	1.88	0.27	WRONG
AL	P	Verlander,J.	1.83	1.77	(0.06)	2.00	0.17	WRONG
NL	P	Oswalt,R.	1.46	1.63	0.17	2.06	0.60	CORRECT
NL	P	Latos,M.	1.45	1.52	0.07	2.02	0.57	CORRECT
NL	P	Lincecum,T.	2.31	2.07	(0.24)	1.69	(0.62)	CORRECT
AL	P	Cahill,T.	1.00	1.18	0.18	2.07	1.07	CORRECT
NL	P	Johnson,J.	1.96	1.85	(0.12)	2.10	0.13	WRONG
AL	P	Buchholz,C.	1.31	1.54	0.23	2.07	0.76	CORRECT
NL	P	Carpenter,C.	2.37	2.09	(0.28)	1.78	(0.60)	CORRECT
NL	P	Hudson,T.	1.09	1.58	0.49	1.95	0.87	CORRECT
AL	P	Lee,C.	1.46	1.48	0.02	1.94	0.47	CORRECT
NL	P	Kershaw,C.	2.11	2.04	(0.06)	2.00	(0.11)	CORRECT
NL	P	Cain,M.	1.83	1.73	(0.10)	1.93	0.10	WRONG
NL	P	Myers,B.	0.83	1.27	0.43	1.65	0.81	CORRECT
NL	P	Hamels,C.	1.23	1.67	0.44	1.63	0.40	CORRECT
AL	P	Gonzalez,G.	0.61	1.26	0.64	1.78	1.16	CORRECT
NL	P	Marcum,S.	#N/A	1.52	#N/A	1.67	#N/A	N/A
NL	P	Sanchez,J.	1.47	1.72	0.25	1.90	0.43	CORRECT
AL	P	Liriano,F.	0.70	1.61	0.91	1.72	1.02	CORRECT
NL	P	Arroyo,B.	1.38	1.32	(0.07)	1.73	0.35	WRONG
AL	P	Danks,J.	1.45	1.47	0.02	1.76	0.31	CORRECT
NL	P	Hanson,T.	1.93	1.84	(0.09)	1.76	(0.17)	CORRECT
NL	P	Santana,J.	1.60	1.73	0.13	1.76	0.17	CORRECT
NL	P	Lilly,T.	1.84	1.56	(0.28)	1.62	(0.23)	CORRECT
AL	P	Pavano,C.	1.00	1.19	0.20	1.52	0.52	CORRECT
NL	P	Dempster,R.	1.43	1.64	0.22	1.50	0.07	CORRECT
NL	P	Lewis,C.	#N/A	1.47	#N/A	1.68	#N/A	N/A
NL	P	Kuroda,H.	1.67	1.48	(0.19)	1.70	0.03	WRONG
AL	P	Scherzer,M.	1.31	1.57	0.27	1.63	0.32	CORRECT
AL	P	Santana,E.	0.80	1.49	0.69	1.42	0.62	CORRECT
NL	P	Romero,R.	1.12	0.89	(0.23)	1.72	0.59	WRONG
AL	P	Garza,M.	1.50	1.68	0.17	1.51	0.01	CORRECT
NL	P	Garland,J.	1.08	1.29	0.21	1.60	0.52	CORRECT
NL	P	Billingsley,C.	1.61	1.76	0.15	1.73	0.12	CORRECT
AL	P	Gallardo,Y.	1.65	1.84	0.19	1.61	(0.04)	WRONG
AL	P	Hughes,P.	2.09	1.68	(0.41)	1.62	(0.47)	CORRECT
NL	P	Garcia,J.	#N/A	1.20	#N/A	1.72	#N/A	N/A
NL	P	Haren,D.	1.94	1.86	(0.08)	1.27	(0.67)	CORRECT
NL	P	Kennedy,I.	#N/A	1.19	#N/A	1.62	#N/A	N/A
NL	P	Hudson,D.	1.39	1.40	0.01	2.37	0.98	CORRECT
AL	P	Greinke,Z.	2.11	1.83	(0.28)	1.46	(0.65)	CORRECT
AL	P	Guthrie,J.	0.77	1.25	0.48	1.56	0.78	CORRECT
NL	P	Sanchez,A.	1.04	1.30	0.27	1.54	0.51	CORRECT
NL	P	Rodriguez,W.	1.58	1.65	0.06	1.52	(0.06)	WRONG
AL	P	Braden,D.	1.34	1.18	(0.15)	1.63	0.29	WRONG
NL	P	Cueto,J.	1.21	1.53	0.32	1.53	0.32	CORRECT
AL	P	Chacin,J.	1.59	2.23	0.64	1.72	0.13	CORRECT
NL	P	Duensing,B.	1.49	1.10	(0.38)	1.83	0.34	WRONG
AL	P	Carmona,F.	0.38	1.54	1.16	1.49	1.11	CORRECT

NL	OF	Ethier,A.	0.67	0.71	0.05	0.68	0.01	CORRECT	NL	P	Pelfrey,M.	0.93	1.16	0.23	1.47	0.54	CORRECT
NL	OF	Victorino,S.	0.68	0.68	0.01	0.63	(0.05)	WRONG	NL	P	Richard,C.	1.25	1.31	0.06	1.40	0.15	CORRECT
NL	SS	Gonzalez,A.	0.40	0.48	0.08	0.50	0.10	CORRECT	NL	P	Lowe,D.	1.03	1.52	0.50	1.33	0.31	CORRECT
NL	OF	Bruce,J.	0.53	0.65	0.12	0.66	0.13	CORRECT	AL	P	Pettite,A.	1.40	1.35	(0.06)	1.68	0.28	WRONG
AL	OF	Upton,B.	0.57	0.70	0.12	0.65	0.07	CORRECT	NL	P	Hernandez,L.	0.79	0.64	(0.16)	1.39	0.60	WRONG
NL	OF	Pagan,A.	0.72	0.63	(0.09)	0.68	(0.04)	CORRECT	AL	P	Vargas,J.	0.94	0.84	(0.11)	1.47	0.52	WRONG
AL	SS	Ramirez,A.	0.57	0.62	0.06	0.57	0.01	CORRECT	AL	P	Floyd,G.	1.56	1.65	0.09	1.26	(0.30)	WRONG
NL	OF	Heyward,J.	#N/A	0.68	#N/A	0.69	#N/A	N/A	AL	P	Cecil,B.	0.09	0.73	0.65	1.48	1.39	CORRECT
NL	OF	Soriano,A.	0.52	0.67	0.15	0.61	0.09	CORRECT	AL	P	Pineiro,J.	1.72	1.37	(0.35)	1.50	(0.22)	CORRECT
AL	1B	Pena,C.	0.65	0.71	0.05	0.50	(0.15)	WRONG	NL	P	Wolf,R.	1.86	1.51	(0.35)	1.24	(0.62)	CORRECT
NL	2B	Prado,M.	0.64	0.66	0.01	0.64	(0.00)	WRONG	AL	P	Lackey,J.	1.49	1.63	0.14	1.25	(0.24)	WRONG
NL	SS	Reyes,J.	0.69	0.78	0.09	0.63	(0.06)	WRONG	NL	P	Zito,B.	1.37	1.48	0.10	1.39	0.02	CORRECT
NL	1B	Sanchez,G.	0.59	0.56	(0.03)	0.60	0.01	WRONG	AL	P	Niemann,J.	1.46	1.37	(0.10)	1.51	0.05	WRONG
NL	OF	Upton,J.	0.78	0.76	(0.02)	0.65	(0.12)	CORRECT	NL	P	Zambrano,C.	1.61	1.83	0.22	1.63	0.02	CORRECT
AL	OF	Gardner,B.	0.69	0.62	(0.07)	0.75	0.05	WRONG	AL	P	Jackson,E.	1.53	1.30	(0.22)	1.24	(0.28)	CORRECT
AL	OF	Drew,J.	0.72	0.74	0.02	0.58	(0.13)	WRONG	NL	P	Westbrook,J.	#N/A	1.17	#N/A	1.35	#N/A	N/A
AL	OF	Suzuki,I.	0.77	0.75	(0.03)	0.69	(0.08)	CORRECT	AL	P	Matusz,B.	1.07	1.52	0.45	1.32	0.25	CORRECT
NL	SS	Drew,S.	0.55	0.66	0.11	0.64	0.09	CORRECT	AL	P	Davis,W.	1.71	1.53	(0.18)	1.28	(0.42)	CORRECT
NL	OF	Jones,G.	0.80	0.68	(0.12)	0.51	(0.29)	CORRECT	AL	P	Slowey,K.	0.95	1.19	0.23	1.30	0.34	CORRECT
AL	3B	Wigginton,T.	0.50	0.54	0.04	0.50	(0.01)	WRONG	AL	P	Morrow,B.	0.98	1.75	0.76	1.58	0.60	CORRECT
NL	OF	Gomes,J.	0.67	0.57	(0.10)	0.55	(0.12)	CORRECT	NL	P	Nolasco,R.	1.41	1.67	0.25	1.25	(0.16)	WRONG
NL	OF	Torres,A.	0.70	0.63	(0.07)	0.69	(0.01)	CORRECT	AL	P	Chen,B.	0.31	#N/A	#N/A	1.41	1.10	N/A
NL	3B	Uribe,J.	0.64	0.53	(0.11)	0.52	(0.12)	CORRECT	AL	P	Buehrle,M.	1.35	1.24	(0.12)	1.11	(0.24)	CORRECT
AL	DH	Scott,L.	0.61	0.64	0.02	0.72	0.10	CORRECT	AL	P	Shields,J.	1.13	1.58	0.45	0.69	(0.44)	WRONG
NL	3B	Ramirez,A.	0.73	0.70	(0.03)	0.51	(0.22)	CORRECT	NL	P	Wells,R.	1.49	1.14	(0.36)	1.10	(0.39)	CORRECT
AL	OF	Jackson,A.	#N/A	0.57	#N/A	0.63	#N/A	N/A	AL	P	Fister,D.	0.81	0.60	(0.21)	1.21	0.40	WRONG
AL	OF	Jones,A.	0.61	0.65	0.04	0.55	(0.06)	WRONG	AL	P	Matsuzaka,D.	-0.03	1.30	1.33	1.59	1.62	CORRECT
AL	C	Napoli,M.	0.64	0.69	0.05	0.55	(0.09)	WRONG	AL	P	Baker,S.	1.57	1.57	0.00	1.17	(0.40)	WRONG
AL	SS	Scutaro,M.	0.64	0.61	(0.04)	0.53	(0.11)	CORRECT	AL	P	Hunter,T.	1.41	1.08	(0.34)	1.50	0.09	WRONG
AL	2B	Kendrick,H.	0.64	0.67	0.03	0.55	(0.09)	WRONG	NL	P	Volstad,C.	0.85	1.05	0.20	1.26	0.41	CORRECT
NL	3B	Headley,C.	0.56	0.61	0.05	0.54	(0.02)	WRONG	NL	P	Niese,J.	1.40	1.49	0.08	1.02	(0.39)	WRONG
NL	1B	Loney,J.	0.59	0.62	0.04	0.54	(0.05)	WRONG	NL	P	Hammel,J.	1.13	1.23	0.10	1.12	(0.01)	WRONG
NL	SS	Andrus,E.	0.61	0.66	0.06	0.52	(0.08)	WRONG	AL	P	Vazquez,J.	2.03	1.65	(0.38)	1.01	(1.02)	CORRECT
NL	OF	Ibanez,R.	0.70	0.67	(0.03)	0.61	(0.09)	CORRECT	NL	P	de la Rosa,J.	1.52	1.55	0.03	1.55	0.03	CORRECT
NL	1B	Lee,D.	0.80	0.73	(0.06)	0.57	(0.23)	CORRECT	NL	P	Silva,C.	0.07	0.91	0.84	1.45	1.38	CORRECT
AL	OF	Lind,A.	0.75	0.72	(0.03)	0.46	(0.28)	CORRECT	AL	P	Anderson,B.	1.33	1.59	0.26	1.68	0.34	CORRECT
AL	2B	Zobrist,B.	0.82	0.72	(0.09)	0.57	(0.24)	CORRECT	NL	P	Wood,T.	#N/A	#N/A	#N/A	1.94	#N/A	N/A
AL	2B	Hill,A.	0.64	0.61	(0.03)	0.39	(0.25)	CORRECT	NL	P	Saunders,J.	1.10	1.37	0.27	0.85	(0.26)	WRONG
AL	1B	Butler,B.	0.68	0.71	0.03	0.70	0.02	CORRECT	AL	P	Burnett,A.	1.40	1.62	0.22	0.85	(0.54)	WRONG
AL	OF	Markakis,N.	0.63	0.68	0.05	0.65	0.02	CORRECT	NL	P	Blanton,J.	1.26	1.39	0.13	0.91	(0.35)	WRONG
NL	OF	Byrd,M.	0.62	0.56	(0.06)	0.58	(0.04)	CORRECT	NL	P	Norris,B.	1.08	1.08	0.00	1.17	0.09	CORRECT
AL	C	Mauer,J.	0.92	0.81	(0.11)	0.72	(0.20)	CORRECT	NL	P	LeBlanc,W.	1.94	1.51	(0.44)	0.89	(1.06)	CORRECT
AL	OF	Span,D.	0.70	0.65	(0.04)	0.54	(0.16)	CORRECT	NL	P	Bumgarner,M.	1.60	1.33	(0.27)	1.32	(0.28)	CORRECT
NL	OF	Podsednik,S.	0.66	0.56	(0.09)	0.64	(0.01)	CORRECT	NL	P	Padilla,V.	1.28	1.03	(0.26)	1.73	0.45	WRONG
AL	C	Martinez,V.	0.69	0.71	0.02	0.67	(0.02)	WRONG	NL	P	Figueroa,N.	0.76	0.83	0.07	1.65	0.89	CORRECT
NL	OF	Bourn,M.	0.72	0.76	0.04	0.64	(0.08)	WRONG	AL	P	Porcello,R.	1.33	1.47	0.14	1.02	(0.31)	WRONG
NL	1B	Davis,I.	#N/A	0.60	#N/A	0.60	#N/A	N/A	AL	P	Garcia,F.	1.52	1.34	(0.17)	1.17	(0.35)	CORRECT
NL	3B	Rolen,S.	0.66	0.56	(0.09)	0.66	0.00	WRONG	NL	P	Correia,K.	1.50	1.44	(0.06)	1.02	(0.47)	CORRECT
NL	C	McCann,B.	0.65	0.68	0.03	0.64	(0.01)	WRONG	NL	P	Gorzelanny,T.	1.62	1.35	(0.27)	1.22	(0.40)	CORRECT
NL	2B	Utley,C.	0.77	0.80	0.04	0.67	(0.09)	WRONG	NL	P	Moyer,J.	1.04	1.01	(0.03)	1.48	0.44	WRONG
AL	1B	Youkilis,K.	0.79	0.72	(0.08)	0.81	0.02	WRONG	AL	P	Davies,K.	1.02	1.17	0.15	0.87	(0.15)	WRONG
NL	OF	Stanton,M.	#N/A	0.58	#N/A	0.63	#N/A	N/A	AL	P	Masterson,J.	1.14	1.47	0.32	1.01	(0.14)	WRONG
AL	OF	Davis,R.	0.77	0.72	(0.05)	0.66	(0.11)	CORRECT	NL	P	Bush,D.	0.71	1.44	0.73	0.72	0.01	CORRECT
AL	OF	Damon,J.	0.70	0.64	(0.06)	0.59	(0.11)	CORRECT	AL	P	Bonderman,J.	-1.60	1.23	2.82	0.94	2.54	CORRECT
AL	DH	Kubel,J.	0.72	0.69	(0.03)	0.52	(0.20)	CORRECT	AL	P	Blackburn,N.	1.02	1.12	0.10	0.74	(0.28)	WRONG
NL	OF	Ross,C.	0.57	0.54	(0.03)	0.55	(0.03)	CORRECT	AL	P	Peavy,J.	2.05	1.77	(0.28)	1.56	(0.49)	CORRECT
AL	OF	Gutierrez,F.	0.61	0.57	(0.04)	0.52	(0.09)	CORRECT	NL	P	Enright,B.	#N/A	#N/A	#N/A	1.12	#N/A	N/A
AL	DH	Matsui,H.	0.67	0.68	0.01	0.63	(0.05)	WRONG	NL	P	Lopez,R.	0.53	1.29	0.75	0.69	0.16	CORRECT
AL	OF	Murphy,D.	0.62	0.64	0.02	0.68	0.06	CORRECT	NL	P	Maholm,P.	1.12	1.37	0.24	0.75	(0.37)	WRONG
AL	2B	Kinsler,I.	0.68	0.75	0.07	0.67	(0.01)	WRONG	AL	P	Kazmir,S.	1.26	1.68	0.42	0.72	(0.54)	WRONG
AL	1B	Branyan,R.	0.65	0.58	(0.06)	0.58	(0.07)	CORRECT	NL	P	Bailey,H.	1.27	1.37	0.10	1.36	0.09	CORRECT
NL	3B	Tejada,M.	0.62	0.57	(0.05)	0.47	(0.15)	CORRECT	NL	P	Ohlendorf,R.	1.46	1.27	(0.19)	1.04	(0.42)	CORRECT
AL	2B	Figgins,C.	0.72	0.67	(0.06)	0.55	(0.17)	CORRECT	AL	P	Millwood,K.	1.34	1.02	(0.32)	0.57	(0.77)	CORRECT
AL	1B	Barton,D.	0.59	0.63	0.04	0.64	0.06	CORRECT	AL	P	Bergesen,B.	1.72	1.19	(0.53)	0.83	(0.89)	CORRECT
AL	SS	Betancourt,Y.	0.40	0.48	0.09	0.47	0.07	CORRECT	NL	P	Duke,Z.	1.18	1.11	(0.07)	0.24	(0.93)	CORRECT
NL	SS	Desmond,I.	0.70	0.61	(0.08)	0.54	(0.16)	CORRECT	NL	P	Leake,M.	#N/A	#N/A	#N/A	0.95	#N/A	N/A
NL	OF	Guillen,J.	0.44	0.41	(0.03)	0.49	0.05	WRONG	AL	P	Beckett,J.	1.71	1.69	(0.02)	0.72	(0.99)	CORRECT
AL	2B	Hudson,O.	0.61	0.64	0.03	0.54	(0.07)	WRONG	AL	P	Mazzaro,V.	0.26	0.73	0.47	0.98	0.72	CORRECT
AL	1B	Overbay,L.	0.64	0.65	0.01	0.54	(0.11)	CORRECT	NL	P	Parra,M.	0.35	1.32	0.97	0.60	0.26	CORRECT
AL	SS	Pennington,C.	0.60	0.61	0.00	0.56	(0.04)	CORRECT	NL	P	Jurriens,J.	1.84	1.64	(0.19)	1.25	(0.58)	CORRECT
AL	DH	Boesch,B.	#N/A	#N/A	#N/A	0.54	#N/A	N/A	AL	P	Gallarraga,A.	0.70	1.18	0.48	1.13	0.43	CORRECT
NL	OF	Venable,W.	0.57	0.60	0.03	0.63	0.06	CORRECT	NL	P	Lannan,J.	1.25	1.41	0.16	0.81	(0.44)	WRONG
NL	3B	Polanco,P.	0.54	0.59	0.05	0.55	0.02	CORRECT	AL	P	Wakefield,T.	1.33	1.49	0.16	0.97	(0.36)	CORRECT
NL	SS	Theriot,R.	0.57	0.54	(0.03)	0.48	(0.09)	CORRECT	AL	P	Sheets,B.	#N/A	1.47	#N/A	0.98	#N/A	N/A
NL	2B	Infante,O.	0.60	0.54	(0.06)	0.63	0.02	CORRECT	NL	P	Francis,J.	#N/A	1.09	#N/A	1.05	#N/A	N/A
AL	3B	Peralta,J.	0.48	0.54	0.06	0.49	0.01	CORRECT	AL	P							

NL	OF	Ludwick,R.	0.57	0.65	0.08	0.51	(0.06)	CORRECT	AL	P	Bannister,B.	1.19	1.05	(0.14)	0.36	(0.83)	CORRECT	
NL	SS	Furcal,R.	0.54	0.57	0.04	0.75	0.21	CORRECT	NL	P	Harang,A.	0.78	1.12	0.34	0.59	(0.19)	WRONG	
AL	C	Buck,J.	0.55	0.54	(0.01)	0.59	0.04	CORRECT	AL	P	Arrieta,J.	#N/A	1.41	#N/A	1.11	#N/A	N/A	
NL	OF	Fowler,D.	0.67	0.66	(0.00)	0.59	(0.08)	CORRECT	NL	P	Ely,J.	#N/A	#N/A	#N/A	0.94	#N/A	N/A	
AL	OF	Francoeur,J.	0.53	0.56	0.02	0.48	(0.06)	CORRECT	NL	P	Stammen,C.	1.16	0.93	(0.24)	0.93	(0.24)	CORRECT	
AL	OF	Lewis,F.	0.56	0.64	0.08	0.58	0.02	CORRECT	NL	P	Cook,A.	1.17	1.30	0.13	0.91	(0.26)	WRONG	
NL	OF	Bernadina,R.	1.10	#N/A	#N/A	0.53	(0.57)	N/A	AL	P	Rowland-Smith,	1.71	1.45	(0.26)	(0.06)	(1.77)	CORRECT	
NL	OF	Colvin,T.	0.18	0.36	0.18	0.61	0.43	CORRECT	NL	P	Suppan,J.	0.39	0.86	0.47	0.39	0.00	CORRECT	
AL	DH	Thome,J.	0.64	0.60	(0.04)	0.83	0.20	CORRECT	AL	P	Wilson,C.	1.66	1.57	(0.09)	2.03	0.36	WRONG	
NL	3B	Sandoval,P.	0.79	0.76	(0.03)	0.53	(0.26)	CORRECT	NL	P	Takahashi,H.	#N/A	#N/A	#N/A	1.55	#N/A	N/A	
AL	3B	Kouzmanoff,K.	0.49	0.53	0.05	0.44	(0.04)	CORRECT	NL	P	Dickey,R.	0.78	0.96	0.17	1.70	0.92	CORRECT	
AL	SS	Aybar,E.	0.63	0.53	(0.10)	0.47	(0.16)	CORRECT	NL	P	Narveson,C.	1.45	1.35	(0.10)	1.26	(0.19)	CORRECT	
NL	C	Posey,B.	-0.15	0.57	0.72	0.68	0.83	CORRECT	NL	P	Medlen,K.	1.34	1.70	0.35	1.55	0.20	CORRECT	
NL	C	Molina,Y.	0.59	0.57	(0.02)	0.48	(0.11)	CORRECT	NL	P	Kendrick,K.	1.71	1.42	(0.29)	1.06	(0.65)	CORRECT	
AL	C	Suzuki,K.	0.54	0.57	0.03	0.43	(0.11)	WRONG	Total Accuracy									
AL	SS	Bartlett,J.	0.81	0.71	(0.10)	0.49	(0.32)	CORRECT	67%									
NL	OF	Willingham,J.	0.65	0.66	0.01	0.69	0.04	CORRECT										
NL	3B	Stewart,I.	0.57	0.63	0.06	0.58	0.02	CORRECT										
NL	SS	Cabrera,O.	0.54	0.56	0.02	0.48	(0.06)	WRONG										
NL	OF	Morgan,N.	0.71	0.66	(0.05)	0.49	(0.22)	CORRECT										
AL	3B	Inge,B.	0.46	0.41	(0.05)	0.51	0.05	WRONG										
NL	3B	Walker,N.	0.30	0.28	(0.02)	0.63	0.33	WRONG										
NL	OF	Tabata,J.	#N/A	0.55	#N/A	0.63	#N/A	N/A										
AL	OF	Borbon,J.	0.82	0.63	(0.19)	0.49	(0.33)	CORRECT										
NL	SS	Cedeno,R.	0.34	0.42	0.08	0.49	0.15	CORRECT										
AL	OF	Crowe,T.	0.43	0.63	0.20	0.48	0.04	CORRECT										
NL	C	Olivo,M.	0.55	0.60	0.04	0.58	0.02	CORRECT										
AL	C	Posada,J.	0.70	0.68	(0.02)	0.60	(0.10)	CORRECT										
NL	OF	Burrell,P.	0.46	0.61	0.15	0.60	0.13	CORRECT										
AL	3B	Hall,B.	0.34	0.49	0.15	0.59	0.25	CORRECT										
AL	OF	Jones,A.	0.57	0.59	0.03	0.64	0.07	CORRECT										
AL	3B	Callaspo,A.	0.64	0.66	0.02	0.47	(0.17)	WRONG										
NL	3B	Keppinger,J.	0.48	0.52	0.04	0.58	0.10	CORRECT										
NL	SS	Castro,S.	#N/A	#N/A	#N/A	0.59	#N/A	N/A										
NL	3B	Blake,C.	0.64	0.60	(0.04)	0.49	(0.15)	CORRECT										
NL	3B	Hairston,J.	0.50	0.48	(0.03)	0.45	(0.06)	CORRECT										
AL	OF	Raburn,R.	0.72	0.65	(0.07)	0.61	(0.11)	CORRECT										
AL	1B	Berkman,L.	0.73	0.79	0.06	0.59	(0.14)	WRONG										
NL	1B	Glaus,T.	0.22	0.64	0.43	0.53	0.31	CORRECT										
NL	OF	Bay,J.	0.75	0.75	(0.00)	0.59	(0.16)	CORRECT										
NL	OF	Smith,S.	0.72	0.67	(0.05)	0.56	(0.16)	CORRECT										
AL	OF	Crisp,C.	0.61	0.69	0.08	0.78	0.17	CORRECT										
AL	C	Pierzynski,A.	0.57	0.51	(0.07)	0.465235	(0.11)	CORRECT										
AL	2B	Ellis,M.	0.53	0.56	0.03	0.567227	0.03	CORRECT										
NL	2B	Sanchez,F.	0.57	0.55	(0.02)	0.562635	(0.00)	CORRECT										
NL	2B	Eckstein,D.	0.45	0.48	0.04	0.457356	0.01	CORRECT										
NL	2B	Schumaker,S.	0.59	0.58	(0.01)	0.474952	(0.12)	CORRECT										
AL	3B	Cantu,J.	0.60	0.59	(0.01)	0.468064	(0.13)	CORRECT										
NL	SS	Escobar,A.	0.55	0.56	0.01	0.405904	(0.15)	WRONG										
NL	OF	Cabrera,M.	0.58	0.54	(0.04)	0.486	(0.10)	CORRECT										
NL	3B	DeWitt,B.	0.37	0.54	0.18	0.516427	0.15	CORRECT										
AL	C	Wieters,M.	0.56	0.64	0.08	0.479716	(0.08)	WRONG										
AL	OF	Kearns,A.	0.40	0.62	0.22	0.540089	0.14	CORRECT										
NL	OF	Coghlan,C.	0.71	0.67	(0.04)	0.553708	(0.15)	CORRECT										
AL	DH	Cust,J.	0.58	0.63	0.05	0.653477	0.08	CORRECT										
NL	2B	Barmes,C.	0.51	0.45	(0.06)	0.42891	(0.08)	CORRECT										
AL	2B	Pedroia,D.	0.69	0.74	0.05	0.715976	0.02	CORRECT										
AL	OF	Rodriguez,S.	0.46	0.61	0.14	0.516484	0.05	CORRECT										
NL	2B	Kennedy,A.	0.63	0.56	(0.07)	0.507916	(0.12)	CORRECT										
AL	3B	Encarnacion,E.	0.50	0.59	0.09	0.558172	0.06	CORRECT										
AL	OF	Snider,T.	0.52	0.61	0.09	0.57837	0.06	CORRECT										
NL	C	Ruiz,C.	0.58	0.61	0.03	0.671362	0.09	CORRECT										
AL	OF	DeJesus,D.	0.58	0.62	0.04	0.668394	0.09	CORRECT										
AL	SS	Cabrera,A.	0.69	0.66	(0.03)	0.485222	(0.20)	CORRECT										
AL	OF	Ordonez,M.	0.66	0.64	(0.01)	0.687328	0.03	WRONG										
NL	OF	Spilborghs,R.	0.51	0.66	0.15	0.605263	0.09	CORRECT										
AL	OF	McDonald,D.	0.50	0.47	(0.03)	0.606017	0.11	WRONG										
NL	OF	Denorfia,C.	-0.50	#N/A	#N/A	0.602894	1.10	N/A										
NL	C	Barajas,R.	0.41	0.47	0.06	0.469325	0.06	CORRECT										

NL	C	Torrealba,Y.	0.56	0.48	(0.08)	0.536313	(0.02)	CORRECT
NL	3B	Jones,C.	0.65	0.72	0.07	0.650794	0.00	CORRECT

Total Accuracy

71%